

You are Qualified in CT86/87, are not due for 6+ months AND you seek to get 87A before your next requal date*

You are up for renewal soon and/or in the process of requalifying in 86/87, but already took a 4-hour optional in person training

You are up for renewal soon and/or in the process of requalifying in 86/87, but have NOT taken the 4hour optional in person training

You are new to Operator Qualification and have yet to become qualified in 86/87

87A Pressure Testing Component Flow Chart EFFECTIVE NOVEMBER 1, 2024 (training to start immediately)

You must take the supplemental 2.5-hour inperson training for 87A. If you are nonunion, you will sign up for training through the MPC (oqregistration@nycmpc.org) and if you are Local 1, you will sign up for a Local 1 87A specific training in the GOQ database.

You must take the supplemental 2.5-hour inperson training for 87A. If you are nonunion, you will sign up for training through the MPC (email oqregistration@nycmpc.org and if you are Local 1, you will sign up for a Local 1 87A training in the GOQ database.

You must sign up through the MPC (oqregistration@nycmpc.org) to take both the 4 hour optional inperson refresher** and the 2.5 hour 87A supplemental training with MPC or Local 1.

You must take the new 87A training which is a full 10-hour in-person course (was 7 hours prior to the pressure testing component).** This is either with MPC

(oqregistration@nycmpc.org) for nonunion or Local 1 training through the GOQ database. You will then sign up for a performance evaluation (PE) for Task 87A through the Plumbing Foundation GOQ database. There will be specific days for the 87A PE supplement ONLY. The 87A PE alone is estimated to take 20-25 minutes. As always, you will be given a time slot.

You will then sign up for a performance evaluation (PE)*** for Tasks 86 & 87A through the Plumbing Foundation GOQ database. There will be specific days for BOTH PEs. The time estimated for an individual to complete the PE for both tasks is about 40-45 minutes so please plan accordingly. As always, you will be given a time slot.

BUT WAIT! I already have a PE scheduled prior to November 1st and it does not include 87A, what do I do? (1) You can cancel your scheduled date and choose a new one (do so ASAP to avoid fees), OR (2) take your PE for 86 as scheduled and schedule a second supplemental 87A only. Please be careful when choosing your options in the database.

You will then sign up for a performance evaluation (PE)*** for Tasks 86 & 87A through the Plumbing Foundation GOQ database. There will be specific days for BOTH PEs. The time estimated for an individual to complete the PE for both tasks is about 40-45 minutes so please plan accordingly. As always, you will be given a time slot.

* IMPORTANT NOTE: If you choose to wait until your next requal date, 87A is still required as a replacement for Task 87 and the supplemental training and a PE will be required for 87A. Note that your overall CT86/87 joint task expiration date will still always fall on the earliest expiration as seen on your OnBoard transcript.

-

** The online refresher training is still required even when you take an in-person training. As an FYI, the new pressure testing component for 87A is not modifying the prometric written exam but will require a new performance evaluation which includes a Q/A portion.

*** For terminology purposes, the "performance evaluation" is the same as the "practical exam."